

INVITATION TO BID
OFFICE OF THE CENTRAL FLORIDA EXPRESSWAY AUTHORITY
ORLANDO, FLORIDA

Sealed Bids for the work generally described below will be received on October 20, 2015, in the headquarters office of the Central Florida Expressway Authority, 4974 ORL Tower Road Orlando, Florida 32807 until 1:30 p.m., Orlando local time, as shown on the time/date stamp clock at the receptionist's desk in the lobby. The clock will serve as the official instrument to determine when a bid is received. A submittal that is clocked in after the date/time specified will be rejected and not accepted. Rejection of a submittal under those circumstances shall not be the basis of a protest pursuant to the Authority's Procedure for Resolution of Protests.

**S.R. 429 (WEKIVA PARKWAY) SYSTEMS INTERCHANGE
PROJECT NO. 429-204; CONTRACT NO. 001123**

The work consists of providing all labor, materials, equipment and incidentals necessary to construct the S.R. 429 multi-level systems interchange for both mainline and ramp plazas including bridges over Ondich Road and Plymouth Sorrento Road. This project will interface with Project No. 429-203 to the south, Project No. 429-206 to the northwest, and Project No. 429-205 to the east in Orange County, Florida (the "Project").

The Contract time for this project will be 730 calendar days.

At the time of Bid submittal, Bidder as the "prime" contractor shall be prequalified by the Florida Department of Transportation under Administrative Rule 14-22, Florida Administrative Code, in the combination of Grading, Drainage and Flexible Paving. A copy of the current Certificate of Qualification by the Bidder in the combination of Grading, Drainage and Flexible Paving shall be submitted with the Bid. Certification in Major Bridge—Cast in Place/Post-Tensioned/Super-Structure or Major Bridge—Concrete Segmental Construction is also required; however, prequalification for either of the Major Bridge categories can be satisfied by the certification of the Bidder or by the certification of a subcontractor, a joint venture member or partner. A copy of the subcontractor's, joint venture member's or partner's current Certificate of Qualification for either of the Major Bridge categories shall be submitted with the Bid. Failure to submit the required certificates may result in rejection of the Bid as non-responsive. Bidder shall use prequalified subcontractors for all classes of work for which the Bidder is not prequalified that exceed \$250,000 in value.

The Central Florida Expressway Authority, in accordance with the Provisions of Title VII of the Civil Rights Act of 1964, as amended, 42 U.S.C. § 2000e et seq., the Florida Civil Rights Act of 1992, as amended, § 760.10 et seq., Fla. Stat. (1996), and other federal and state discrimination statutes, prohibits discrimination on the basis of race, color, sex, age, national origin, religion, and disability or handicap. The Authority notifies all Bidders and individuals it requires and encourages equal employment opportunity for minority and women as employees and subcontractors.

The Authority is receiving a loan from the U.S. Department of Transportation Federal Highway Administration under the Transportation Infrastructure Finance and Innovation Act (TIFIA) program to construct this project. Pursuant to the requirements for this loan, the Authority is required to have a Disadvantaged Business Enterprise (DBE) Program in place to comply with applicable laws and regulations. To meet this requirement, the Authority has adopted the Florida Department of Transportation's DBE program for this solicitation (<http://www.dot.state.fl.us/equalopportunityoffice/DBEProgram.shtm>). The Authority's M/WBE program will not apply. The race neutral goal set for this project is 9.91%.

From the first date of publication of this invitation, no person may contact any Authority Board Member, Officer or Employee with respect to this invitation or the services to be provided. Reference is made to the lobbying guidelines of the Authority for further information regarding this Non-Solicitation Provision.

All work shall be done in accordance with the Bidding Documents of the Central Florida Expressway Authority.

It is the Authority's intent to award the project to the lowest responsive and responsible Bidder. The Authority specifically reserves the right to take a Bidder's past performance with the Authority (and others) into consideration in determining whether the Bidder and Bid are responsive, responsible and qualified and most advantageous to the Authority.

By submitting its Bid, the Bidder is signifying its awareness and understanding that the Bid process will be subject in all respects to the provisions of applicable laws, rules and regulations and the policies of the Authority (as they may be amended or modified from time to time).

Pursuant to Florida Statutes, Section 119.07(1), upon the earlier to occur of (i) Authority's Notice of Award of the contract, or (ii) thirty days after Bid opening, all Bids submitted pursuant to this Invitation to Bid (including all components thereof and all other materials submitted in connection therewith) shall become public records. Thereafter (with very limited exceptions) all Bids, proposals, documents, letters, software and other materials submitted to the Authority by on behalf of any Bidder (including material that a Bidder may consider confidential or proprietary) may be inspected, examined and copied by any person desiring to do so in accordance with Florida Statutes, Chapter 119. It is not necessary for any person to obtain the consent of the Authority, or the Bidder, to exercise its right under Chapter 119.

Any Bidder adversely affected by: (i) Bid specifications, (ii) a notice of an intended decision (including, but not limited to, a Notice of Intent to Award or Notice of Intent to Reject), or (iii) a decision (including, but not limited to a Notice of Award of Contract), who desires to protest must comply with the proper procedures in the Central Florida Expressway Authority's Procedure for Resolution of Protests, Rule Chapter 3-1, which is available for review upon request at the Authority's Office, 4974 ORL Tower Road, Orlando, Florida. Failure to comply with Rule Chapter 3-1 shall constitute a waiver of any right to initiate protest proceedings. A protest bond in the amount

of \$5,000.00 is required to protest the Bid package or Bid solicitation. A protest bond in the amount of \$5,000.00, or 1% of the lowest bid submitted, whichever is greater, will be required to protest a Notice of Intent to Award or Notice of Intent to Reject.

The Bidding Documents for this Project consist of the specifications and the construction plans set which may be downloaded from www.cfxway.com/DoingBusinessWithUs/Procurement/ProcurementAccountLogineProcurementRegistrati.aspx commencing August 31, 2015. Registration is required in order to download.

A pre-bid meeting will be held on September 14, 2015, beginning at 10:00 a.m., in the Authority's office at the address shown above. The purpose of the meeting will be to discuss requirements of the project in an open forum. Although not mandatory, attendance at the pre-bid meeting is highly recommended. Each Bid must be submitted in a separate sealed envelope with the name of the Bidder, Bidder's address, and the project number written on the outside. For information and question submission concerning this project during the Bidding process, email: constructionproject429-204@cfxway.com

Proposals must be accompanied by a Proposal Guaranty or Cashier's Check, made payable to the Central Florida Expressway Authority, of not less than five percent (5%) of the total Bid. The Guaranty shall be forfeited as liquidated damages if the Proposal is accepted and the Successful Bidder fails to execute the Contract under the conditions of the Proposal and said guaranty will be returned to the Successful Bidder upon the delivery of a satisfactory Public Construction Bond.

All Bids shall remain open for acceptance by the Authority for ninety (90) calendar days after the day of the Bid opening. The right is reserved by the Authority to reject any or all Bids.

CENTRAL FLORIDA EXPRESSWAY AUTHORITY

Claude Miller
Director of Procurement

*** ORIGINAL QUANTITIES***
CFX PROJECT NO. 429-204; CONTRACT NO.001123
S.R. 429 (WEKIVA PARKWAY) SYSTEMS INTERCHANGE

ITEM NO.	QUANTITY	UNIT	DESCRIPTION
101-1	1	LS	MOBILIZATION
102-1	1	LS	MAINTENANCE OF TRAFFIC
102-99	2,200	ED	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY
104-20	1	LS	EROSION CONTROL
107-2	1	LS	MOWING
110-1-1	1	LS	CLEARING AND GRUBBING
120-1	212,987	CY	REGULAR EXCAVATION
120-4	38,726	CY	SUBSOIL EXCAVATION
120-6	2,482,925	CY	EMBANKMENT
120-74	8,988.9	CY	SURCHARGE EMBANKMENT
141-70	5	AS	SETTLEMENT PLATE ASSEMBLY
142-70	30,315	CY	SAND FILL
160-4	254,762	SY	TYPE B STABILIZATION
173-76	9,000	LF	GROUT PIPE INSTALLATION
173-77-1	3,240	CY	SUBSURFACE PRESSURE GROUTING (SAND-CEMENT)
285-701	19,584	SY	LIMEROCK 4" (BASE GROUP 01) (LBR 100) W/PRIME
285-701A	724	SY	GRADED AGGREGATE BASE 4.5" (RECLAIMED CONCRETE) (LBR 120)
285-705	42,526	SY	LIMEROCK 7" (BASE GROUP 05) (LBR 100) W/PRIME
285-709	49,479	SY	LIMEROCK 10" (BASE GROUP 9) (LBR 100) W/PRIME
285-709A	460	SY	SOIL CEMENT 12" (BASE GROUP 9) (LBR 100) (300 PSI) (PLANT MIX) W/PRIME
285-711	110,379	SY	LIMEROCK 12" (BASE GROUP 11) (LBR 100) W/PRIME
327-70-6	9,101	SY	MILLING EXIST ASPH PAVT, (1.5" AVG DEPTH)
334-1-12	447	TN	SUPERPAVE ASPHALTIC CONC, TRAFFIC B
334-1-13	2,612.3	TN	SUPERPAVE ASPHALTIC CONCRETE (TRAFFIC C)
334-1-14	12,027.4	TN	SUPERPAVE ASPHALTIC CONCRETE (TRAFFIC D)
334-1-22	2,405.3	TN	SUPERPAVE ASPHALTIC CONCRETE (TRAFFIC B, PG 76-22, PMA)
334-1-23	8,499.8	TN	SUPERPAVE ASPHALTIC CONCRETE (TRAFFIC C, PG 76-22, PMA)
334-1-24	13,492.2	TN	SUPERPAVE ASPHALTIC CONCRETE (TRAFFIC D, PG 76-22, PMA)
337-7-22	7,533	TN	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-5, (PG76-22) (0.75") (DARK GRANITE)
337-7-43	789.0	TN	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, (PG76-22) (1.5")
339-1	1,725.2	TN	MISCELLANEOUS ASPHALT PAVEMENT
400-1-2	26.5	CY	CONCRETE CLASS I, ENDWALLS
400-2-4	5,139.5	CY	CONCRETE CLASS II, SUPERSTRUCTURE
400-2-10	905	CY	CONCRETE CLASS II, APPROACH SLABS
400-4-4	732.7	CY	CONCRETE CLASS IV, SUPERSTRUCTURE
400-4-5	785.3	CY	CONCRETE CLASS IV, SUBSTRUCTURE
400-4-25	4,734.7	CY	CONCRETE CLASS IV, MASS, SUBSTRUCTURE
400-7	342	SY	BRIDGE DECK GROOVING, LESS THAN 8.5"
400-9	17,365	SY	BRIDGE DECK GROOVING & PLANING, DECK THICKNESS 8.5" OR GREATER
400-147	39.2	CF	COMPOSITE NEOPRENE PADS
415-1-4	2,243,365	LB	REINFORCING STEEL (SUPERSTRUCTURE)
415-1-5	1,102,997	LB	REINFORCING STEEL (SUBSTRUCTURE)
415-1-9	182,751	LB	REINFORCING STEEL (APPROACH SLAB)
425-1-501	5	EA	INLETS, DT BOT, TYPE A, <10'
425-1-503	4	EA	INLETS, DT BOT, TYPE A, J BOT, <10'
425-1-511	18	EA	INLETS, DT BOT, TYPE B, <10'
425-1-513	7	EA	INLETS, DT BOT, TYPE B, J BOT, <10'
425-1-514	1	EA	INLETS, DT BOT, TYPE B, J BOT, >10'
425-1-521	3	EA	INLETS, DT BOT, TYPE C, <10'
425-1-551	8	EA	INLETS, DT BOT, TYPE E, <10'
425-1-553	2	EA	INLETS, DT BOT, TYPE E, J BOT, <10'
425-1-583	2	EA	INLETS, DT BOT, TYPE H, J BOT, <10'
425-1-611	1	EA	INLETS, DT BOT, TYPE K, <10'
425-1-701	117	EA	INLETS, GUTTER, TYPE S, <10'

*** ORIGINAL QUANTITIES***
CFX PROJECT NO. 429-204; CONTRACT NO.001123
S.R. 429 (WEKIVA PARKWAY) SYSTEMS INTERCHANGE

ITEM NO.	QUANTITY	UNIT	DESCRIPTION
425-1-702	2	EA	INLETS, GUTTER, TYPE S, >10'
425-1-703	2	EA	INLETS, GUTTER, TYPE S, J BOTTOM <10'
425-1-704	2	EA	INLETS, GUTTER, TYPE S, J BOTTOM >10'
425-1-711	5	EA	INLETS, GUTTER, TYPE V, <10'
425-1-891	4	EA	INLETS BARRIER WALLS, <10'
425-2-61	6	EA	MANHOLES, P-8, <10'
425-2-62	1	EA	MANHOLES, P-8, >10'
425-2-91	6	EA	MANHOLES, J-8, <10'
425-2-92	1	EA	MANHOLES, J-8, >10'
430-173-118	444	LF	PIPE CULVERT, BCCMP, ROUND, 18", GUTTER DRAIN
430-173-124	398	LF	PIPE CULVERT, BCCMP, ROUND, 24", GUTTER DRAIN
430-173-130	369	LF	PIPE CULVERT, BCCMP, ROUND, 30", GUTTER DRAIN
430-175-118	13,297	LF	PIPE CULVERT,RCP,ROUND, 18"S/CD
430-175-124	4,165	LF	PIPE CULVERT,RCP,ROUND, 24"S/CD
430-175-130	2,768	LF	PIPE CULVERT,RCP,ROUND, 30"S/CD
430-175-136	2,226	LF	PIPE CULVERT,RCP,ROUND, 36"S/CD
430-175-142	160	LF	PIPE CULVERT,RCP,ROUND, 42"S/CD
430-611-125	3	EA	U-ENDWALL WITH BAFFLES, STD 261, 1:4 SLOPE, 18" PIPE
430-612-125	1	EA	U-ENDWALL WITH GRATE, STD 261, 1:4 SLOPE, 18" PIPE
430-611-129	1	EA	U-ENDWALL WITH BAFFLES, STD 261, 1:4 SLOPE, 24" PIPE
430-611-133	2	EA	U-ENDWALL WITH BAFFLES, STD 261, 1:4 SLOPE, 30" PIPE
430-611-225	1	EA	U-ENDWALL WITH BAFFLES, STD 261, 1:3 SLOPE, 18" PIPE
430-611-233	1	EA	U-ENDWALL WITH BAFFLES, STD 261, 1:3 SLOPE, 30" PIPE
430-982-125	7	EA	MITERED END SECTION,OPTIONAL ROUND, 18" CD
430-982-129	5	EA	MITERED END SECTION,OPTIONAL ROUND, 24" CD
430-982-133	6	EA	MITERED END SECTION,OPTIONAL ROUND, 30" CD
430-982-138	4	EA	MITERED END SECTION,OPTIONAL ROUND, 36" CD
430-982-140	1	EA	MITERED END SECTION,OPTIONAL ROUND, 42" CD
430-984-129	1	EA	MITERED END SECTION,OPTIONAL ROUND, 24" SD
436-1-1	55	LF	TRENCH DRAIN, STANDARD
440-1-50	372	LF	UNDERDRAIN, TYPE V
440-1-60	377	LF	UNDERDRAIN, SPECIAL
440-70	2	EA	UNDERDRAIN INSPECTION BOX
440-73-2	921	LF	UNDERDRAIN OUTLET PIPE, 6"
450-1-7M	4,959	LF	PRESTRESSED BEAM, SPECIAL TYPE, PCI U72 HAUNCHED
450-4-1M	146	LF	PRESTRESSED BEAM (FLORIDA U-BEAM), 48" HAUNCHED
450-4-3M	1,646	LF	PRESTRESSED BEAM (FLORIDA U-BEAM), 63" HAUNCHED
450-4-4M	1,685	LF	PRESTRESSED BEAM (FLORIDA U-BEAM), 72" HAUNCHED
455-34-3	59,161	LF	PRESTRESSED CONCRETE PILING, 18" SQ.
455-143-3	5,787	LF	TEST PILES-PRESTRESSED CONCRETE, 18" SQ.
458-1-11	672	LF	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD
458-1-12	278	LF	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I STRIP SEAL
459-71	1,691	SY	PILES, POLYETHYLENE SHEETING
461-113-17	4	EA	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1501-1750 KIPS
461-114-14	20	EA	MULTIROTATIONAL BEARING ASSEMBLY EXPANSION, F&I, 751-1000 KIPS
461-114-17	18	EA	MULTIROTATIONAL BEARING ASSEM-EXP, F&I, 1501-1750 KIP
462-2-11	451,663	LB	POST TENSIONING TENDONS, SUPERSTRUCTURE STRAND
462-2-13	3,261	LB	POST TENSIONING TENDONS, SUBSTRUCTURE STRAND
506-2	773	LF	BRIDGE DRAINAGE PIPE
506-3	18	EA	BRIDGE DRAINS
520-6	22,936	LF	SHOULDER GUTTER, CONCRETE
521-5-1	6,198	LF	CONCRETE TRAFFIC RAILING, BRIDGE 32" F - SHAPE
521-5-2	2,620	LF	CONCRETE TRAFFIC RAILING, BRIDGE 42" F - SHAPE

*** ORIGINAL QUANTITIES***
CFX PROJECT NO. 429-204; CONTRACT NO.001123
S.R. 429 (WEKIVA PARKWAY) SYSTEMS INTERCHANGE

ITEM NO.	QUANTITY	UNIT	DESCRIPTION
521-8-1	788	LF	CONCRETE TRAFFIC RAILING BARRIER WITH JUNCTION SLAB, 32" F - SHAPE
521-72-3	866	LF	SHOULDER CONCRETE BARRIER WALL (32" F SHAPE)
524-1-1	742.7	SY	CONCRETE DITCH PAVEMENT, NON REINFORCED, 3"
530-3-4	169	TN	RIPRAP, RUBBLE, F&I,DITCH LINING
536-1-1	27,635	LF	GUARDRAIL, ROADWAY
536-1-3	135	LF	GUARDRAIL, ROADWAY, DOUBLE FACE
536-8	30	EA	GUARDRAIL BRIDGE ANCHORAGE ASSEMBLY, FURNISH & INSTALL
536-85-22	26	EA	GUARDRAIL END ANCHORAGE ASSEMBLY, FLARED
536-85-25	22	EA	GUARDRAIL END ANCHORAGE ASSEMBLY, TYPE II
544-75-14	2	EA	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, DS=70 MPH
546-72-51	10.67	PM	RUMBLE STRIPS (GROUND-IN) (16" MIN. WIDTH)
547-70-1	1,744.4	SY	RIPRAP, FABRIC-FORMED CONCRETE, 8" FILTER POINTS
548-12	162,244	SF	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER
550-10-212	5,194	LF	FENCING, TYPE B (0.0-5.0') W/ VINYL COATING
550-10-220	31,241	LF	FENCING, TYPE B, 5.1-6.0', STANDARD
550-60-224	11	EA	GATE (TYPE B) (DOUBLE) (SWING) (18-20' OPENING)
570-1-1	132,726	SY	PERFORMANCE TURF
570-1-2	546,462	SY	PERFORMANCE TURF, SOD
600-100	1	EA	INSPECTOR TRAINING FOR TRAFFIC MONITORING STATION
600-101	1	EA	INSPECTOR TRAINING FOR DATA COLLECTION SENSORS
600-102	1	EA	INSPECTOR TRAINING FOR CCTV AND CAMERA LOWERING DEVICE
600-104	1	EA	INSPECTOR TRAINING FOR FIBER OPTIC NETWORK
600-105	1	EA	INSPECTOR TRAINING FOR SYSTEM AUXILIARIES
603A-100	1	LS	CONTINUOUS OPERATION OF EXISTING ITS DEVICES
612-100	1	LS	GEOLOCATION OF ITS EQUIPMENT AND INFRASTRUCTURE
630-2-11	38,863	LF	CONDUIT, F&I, OPEN TRENCH, UNDERGROUND
630-2-12	180	LF	CONDUIT (F & I)(DIRECTIONAL BORE)
631-100	5	EA	FIBER OPTIC CABLE INVENTORY
631-101	5	EA	FIBER OPTIC SPLICE HOUSING INVENTORY
633-121-2	2,686	LF	FIBER OPTIC CABLE (12-STRAND FIBER) (F&I)
633-121-4	83,862	LF	FIBER OPTIC CABLE (F&I) (SINGLE MODE) (72 FIBERS)
633-141-3	13	EA	FIBER OPTIC FUSION SPLICE ENCLOSURE(72 SPLICE)(F& I)
633-141-3A	4	EA	EXISTING FIBER OPTIC SPLICE ENCLOSURE RE-ENTRY
633-141-4	612	EA	FIBER OPTIC FUSION SPLICE
635-1-11	70	EA	PULL BOX (F&I)
635-1-15	9	EA	SMALL FIBER OPTIC PULL BOX (F&I)
635-2-11	243	EA	PULL AND SPLICE BOXES, F&I, 13" X 24" COVER SIZE
635-2-12	5	EA	PULL AND SPLICE BOXES, F&I, 24" X 36" COVER SIZE
638-001-0211	230	LF	FIBER OPTIC CONDUIT (2-1" HDPE/SDR 11) (TRENCH OR PLOW)
638-001-0911	30,744	LF	FIBER OPTIC CONDUIT (9-1" HDPE/SDR 11) (TRENCH OR PLOW)
638-002-0113	100	LF	FIBER OPTIC CONDUIT (1-2") (DIRECTIONAL BORE) (F & I)
638-260-0011	840	LF	FIBER OPTIC, 6" SPLIT BSP SLEEVE (TRENCH OR PLOW)
638-342-0113	171	LF	FIBER OPTIC, 4" PVC OUTER DUCT W/ CONDUIT 2-2" HDPE (BORE)
638-361-0911	430	LF	FIBER OPTIC 6" PVC OUTER DUCT W/ CONDUIT 9-1" HDPE/SDR 11 (TRENCH OR PLOW)
638-461-0914	624	LF	FIBER OPTIC 6" BRFG BULLET-RESISTIVE FIBERGLASS OUTER DUCT W/ CONDUIT 9-1" HDPE/SDR 11, INSTALL ON BRIDGE
639-1-22	5	EA	ELECTRICAL POWER SERVICE ASSEMBLY(F&I)
639-3-11	9	EA	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT
641-2-12	14	EA	CONCRETE POLE (F&I)(12" TYPE P-II)(SERVICE POLE)
663-74-143	2	EA	DCS FIELD EQUIPMENT 3 LANES (F&I)
663-74-144	1	EA	DATA COLLECTION SENSORS (4 LANE) (F&I)
663-74-145	1	EA	DCS FIELD EQUIPMENT 5 LANES (F&I)
664-1-140	15	EA	TRAFFIC MONITORING STATION - POLE MOUNTED (F&I)
664-3-140	5	EA	TRAFFIC MONITORING STATION (30' POLE) (F&I)

*** ORIGINAL QUANTITIES***
CFX PROJECT NO. 429-204; CONTRACT NO.001123
S.R. 429 (WEKIVA PARKWAY) SYSTEMS INTERCHANGE

ITEM NO.	QUANTITY	UNIT	DESCRIPTION
664-3-141	3	EA	TRAFFIC MONITORING STATION (40' POLE) (F&I)
668-13	9	EA	TYPE 170 CABINET (POLE MOUNTED) (F&I)
678-1-111	10	EA	CONTROLLER ACCESSORIES, F&I, POWER REDUCTION ASSEMBLY
683-101	9	EA	ETHERNET SWITCH (F&I)
683-103	9	EA	TERMINAL SERVER (F&I)
683-105	9	EA	FIBER OPTIC PATCH PANEL (12 PORT) (F&I)
683-110	36	EA	CUT-TO-LENGTH FIBER OPTIC JUMPERS (F&I)
685-101	9	EA	UNINTERRUPTIBLE POWER SUPPLY (F&I)
685-101A	9	EA	REMOTE POWER MANAGER (F&I)
700-1-11	11	AS	SINGLE POST SIGN (LESS THAN 12SF)
700-1-12	44	AS	SINGLE POST SIGN (12SF-20SF)
700-1-13	17	AS	SINGLE POST SIGN (21SF-30SF)
700-1-60	14	AS	SINGLE POST SIGN (REMOVE)
700-1-74	2	AS	SINGLE POST SIGN (F & I)(CUSTOM)(31+ SF)
700-2-12	3	AS	MULTI-POST SIGN (12-20 SF)
700-2-13	2	AS	MULTI-POST SIGN (21-30 SF)
700-2-14	2	AS	MULTI-POST SIGN (31-50 SF)
700-2-15	1	AS	MULTI-POST SIGN (51-100 SF)
700-2-16	1	AS	MULTI-POST SIGN (101-200 SF)
700-2-60	1	AS	MULTI-POST SIGN, GROUND MOUNT, REMOVE
700-3-102	1	EA	SIGN PANEL, F&I GROUND MOUNT, 12-20 SF
700-3-202	7	EA	SIGN PANEL, F&I OVERHEAD MOUNT, 12-20 SF
700-3-205	2	EA	SIGN PANEL, F&I OVERHEAD MOUNT, 51-100 SF
700-3-224	6	EA	SINGLE PANEL (F & I) OVERHEAD MOUNT (< 50 SF W/ LIGHTING)
700-3-226	5	EA	SINGLE PANEL (F & I) OVERHEAD MOUNT (101 -200 SF W/ LIGHTING)
700-3-227	4	EA	SIGN PANEL (F&I) (OVERHEAD MOUNT)(201-300 SF)(W/ LIGHTING)
700-3-228	2	EA	SINGLE PANEL (F & I) OVERHEAD MOUNT (301 -400 SF W/ LIGHTING)
700-3-231	6	EA	SINGLE PANEL (F & I) OVERHEAD MOUNT (> 601 SF W/ LIGHTING)
700-3-301	10	EA	SINGLE PANEL (F & I) BRIDGE MOUNT (<12 SF)
700-3-601	6	EA	SIGN PANEL, REMOVE, UP TO 12 SF
700-3-605	3	EA	SIGN PANEL, REMOVE, UP TO 51-100 SF
700-4-113	8	EA	OVERHEAD STATIC SIGN STRUCTURE(CANTILEVER)(31-40FT)
700-4-114	2	AS	OVERHEAD STATIC SIGN STRUCTURE (F & I) (CANTILEVER) (41-50 FT)
700-4-125	5	EA	OVERHEAD STATIC SIGN STRUCTURE(SPAN)(51-100FT)
700-4-126	2	EA	OVERHEAD STATIC SIGN STRUCTURE (SPAN)(100-150FT)
705-11-1	296	EA	DELINEATOR (FLEXIBLE TUBULAR)
706-3	4,263	EA	RETRO-REFLECTIVE PAVEMENT MARKERS
711-11-111	0.350	GM	THERMOPLASTIC (STD.) (WHITE) (SOLID) (6")
711-11-125	65	LF	SOLID TRAFFIC STRIPE (THERMOPLASTIC) (WHITE) (24")
711-11-160	22	EA	THERMOPLASTIC (STD.) (WHITE) (MESSAGE)
711-11-170	63	EA	THERMOPLASTIC (STD.) (WHITE) (ARROWS)
711-11-211	0.353	GM	THERMOPLASTIC (STD.) (YELLOW) (SOLID) (6")
711-14-160	20	EA	PAVEMENT MESSAGE (PERFORMED THERMO)
711-14-660	2	EA	PAVEMENT MESSAGE (PERFORMED THERMO) (CONTRAST)
711-14-660	10	EA	PAVEMENT MESSAGE (PERFORMED THERMO) (MULTI)
711-16-111	1.347	NM	SOLID TRAFFIC STRIPE (THERMOPLASTIC) (WHITE) (6")
711-16-211	1.316	NM	SOLID TRAFFIC STRIPE (THERMOPLASTIC) (YELLOW) (6")
713-102-122	3,069	LF	PAVEMENT MARKING - PERFORMED TAPE (HP) (WHITE) (SOLID) (8")
713-102-124	2,019	LF	SOLID TRAFFIC STRIPE (PPRT) (WHITE) (12")
713-102-125	2,274	LF	SOLID TRAFFIC STRIPE (PPRT) (WHITE) (18")
713-102-134	0.789	GM	SKIP TRAFFIC STRIPE (PPRT) (WHITE) (3'-12") (12")
713-102-144	951	LF	PAVEMENT MARKING - PERFORMED TAPE (HP) (WHITE) (SKIP 3'-12") (12")
713-102-211	9,625	NM	SOLID TRAFFIC STRIPE (PPRT) (YELLOW) (6")

*** ORIGINAL QUANTITIES***
CFX PROJECT NO. 429-204; CONTRACT NO.001123
S.R. 429 (WEKIVA PARKWAY) SYSTEMS INTERCHANGE

ITEM NO.	QUANTITY	UNIT	DESCRIPTION
713-102-344	174	LF	PAVEMENT MARKING - PREFORMED TAPE (HP) (12" ALT B/W SKIP) (3-3-9) (PPRT)
713-102-513	9,388	NM	SOLID TRAFFIC STRIPE (PPRT) (CONTRAST)(WHITE/BLACK)(9")
713-102-533	11,704	GM	SKIP TRAFFIC STRIPE (PPRT) (CONTRAST)(WHITE/BLACK)(10'-30') (9")
713-103-112	1,328	NM	SOLID TRAFFIC STRIPE (PPRT) (WHITE) (8")
715-1-11	2,943	LF	LIGHTING-CONDUCTORS, F&I, No. 10 OR SMALLER
715-1-113	22,755	LF	CONDUCTORS (F&I) (INSULATED) (NO. 6)
715-1-114	22,599	LF	CONDUCTORS (F&I) (INSULATED) (NO. 4)
715-1-12	211,633	LF	LIGHTING-CONDUCTORS, F&I, No. 8 TO No. 6
715-1-13	16,253	LF	LIGHTING-CONDUCTORS, F&I, No. 4 TO No. 2
715-2-115	16,638	LF	CONDUIT (F&I) (UNDERGROUND) (2" SCH 40 PVC)
715-4-121	46	EA	LIGHT POLE COMPLETE (FURNISH & INSTALL) STD. POLE, STD. FDN. (130 MPH) (40')
715-4-122	143	EA	LIGHTING POLE COMPLETE, F&I, HEIGHT 45 FT WIND SPEED 130 MPH
715-7-11	3	EA	LOAD CENTER, F&I, SECONDARY VOLTAGE
715-7-21	1	EA	LOAD CENTER, REWORK, SECONDARY VOLTAGE
715-11-126	18	EA	LUMINAIRE, F&I, UNDERDECK, PENDANT HUNG
715-50	1	LS	LIGHTING-INSIDE BOX GIRDERS
715-500-1	228	EA	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL
715-500-3	35	EA	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT
715-511-135	39	EA	LIGHT POLE COMPLETE SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, ALUMINUM, 35 FT.
715-513-135	6	EA	LIGHT POLE COMPLETE SPECIAL DESIGN, F&I, SINGLE ARM WALL MOUNT, ALUMINUM, 35 FT.
715-515-135	20	EA	LIGHT POLE COMPLETE SPECIAL DESIGN, F&I, SINGLE ARM BRIDGE MOUNT, ALUMINUM, 35 FT.
715-515-145	9	EA	LIGHT POLE COMPLETE SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, ALUMINUM, 45 FT.
783-8-1	3,798	LF	TRAFFIC MONITORING STATION COMPOSITE CABLE (F&I)
4210-11	12	EA	4' X 4' X 4' CONCRETE MANHOLE (F&I)
4210-12	23	EA	4' X 6.5' X 6.5' CONCRETE MANHOLE (F&I)
1050-11-515	203	LF	UTILITY PIPE, F&I, STEEL, CASING/CONDUIT, 20.0"-49.9"
1050-11-516	452	LF	UTILITY PIPE, F&I, STEEL, CASING/CONDUIT, 50" OR LARGER
999-1	N/A	N/A	ALLOWANCE FOR DISPUTES REVIEW BOARD
999-2	N/A	N/A	WORK ORDER ALLOWANCE

This information is being provided strictly for the convenience of potential bidders, suppliers and other interested parties and is not to be used for bidding purposes. The item numbers, quantities and descriptions provided herein have been taken from the original bidding documents, will not be updated and do not reflect any changes that may have been made by addendum.