

*** ORIGINAL QUANTITIES ***

OOCEA PROJECT NO. 417-110; CONTRACT NO. 000987

S.R. 417 WIDENING - CURRY FORD ROAD TO LAKE UNDERHILL ROAD

ITEM NO.	QUANTITY	UNIT	DESCRIPTION
101-1	1	LS	MOBILIZATION
102-1	1	LS	MAINTENANCE OF TRAFFIC
102-99	1,142	ED	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY
104-1	1	LS	MOWING
104-20	1	LS	EROSION CONTROL
110-1-1	1	LS	CLEARING AND GRUBBING
110-3	1	LS	REMOVAL OF EXISTING STRUCTURE
110-4	1	LS	REMOVAL OF EXISTING CONCRETE PAVEMENT
110-20-2	1	LS	REMOVAL OF EXISTING WALL
120-1	41,865	CY	REGULAR EXCAVATION
120-6	55,571	CY	EMBANKMENT
160-4	36,716	SY	STABILIZATION TYPE B - 12"
210-1-1	14,306	SY	REWORKING LIMEROCK BASE, 6"
285-704	19,787	SY	OPTIONAL BASE, BASE GROUP 4
285-711	23,418	SY	OPTIONAL BASE, BASE GROUP 11
327-70-1	16,928	SY	MILLING EXISTING ASPHALT PAVEMENT 1" AVG. DEPTH
327-70-2	14,263	SY	MILLING EXISTING ASPHALT PAVEMENT 3 1/2" AVG. DEPTH
327-70-4	2,099	SY	MILLING EXISTING ASPHALT PAVEMENT 3" AVG. DEPTH
327-70-7	1,477	SY	MILLING EXISTING ASPHALT PAVEMENT 4" AVG. DEPTH
327-70-8	589	SY	MILLING EXISTING ASPHALT PAVEMENT 2 1/2" AVG. DEPTH
327-70-11	12,094	SY	MILLING EXISTING ASPHALT PAVEMENT 2 1/4" AVG. DEPTH
327-70-12	267	SY	MILLING EXISTING ASPHALT PAVEMENT 1 1/4" AVG. DEPTH
327-70-13	589	SY	MILLING EXISTING ASPHALT PAVEMENT 1 3/4" AVG. DEPTH
327-70-15	844	SY	MILLING EXISTING ASPHALT PAVEMENT 2 3/4" AVG. DEPTH
327-70-17	7,908	SY	MILLING EXISTING ASPHALT PAVEMENT 3 1/4" AVG. DEPTH
327-70-19	7,477	SY	MILLING EXISTING ASPHALT PAVEMENT 3/4" AVG. DEPTH
327-70-20	10,988	SY	MILLING EXISTING ASPHALT PAVEMENT 3 3/4" AVG. DEPTH
327-70-22	1,283	SY	MILLING EXISTING ASPHALT PAVEMENT 4 1/4" AVG. DEPTH
327-70-26	994	SY	MILLING EXISTING ASPHALT PAVEMENT 4 3/4" AVG. DEPTH
334-1-12	3,404.9	TN	SUPERPAVE ASPHALTIC CONC., TRAFFIC B
334-1-13	178.1	TN	SUPERPAVE ASPHALTIC CONC., TRAFFIC C
334-1-24	17,256.3	TN	SUPERPAVE ASPHALTIC CONC., TRAFFIC D, PG 76-22
337-7-22	3,083.5	TN	ASPHALTIC FRICTION COURSE, FC-5, PG 76-22
339-1	875.1	TN	MISCELLANEOUS ASPHALT PAVEMENT
400-2-10	93.6	CY	CONCRETE CLASS II, APPROACH SLABS
400-2-4	162.1	CY	CONC CLASS II, SUPERSTRUCTURE
400-4-5	109	CY	CONCRETE CLASS IV, SUBSTRUCTURE
400-7	824	SY	BRIDGE DECK GROOVING, LESS THAN 8.5"
400-143	24,842.1	SF	CLEANING & COATING CONCRETE SURFACE, CLASS 5
400-147	4.9	CF	COMPOSITE NEOPRENE PADS
415-1-4	40,767.3	LBS	REINFORCING STEEL - SUPERSTRUCTURE

*** ORIGINAL QUANTITIES ***

OOCEA PROJECT NO. 417-110; CONTRACT NO. 000987

S.R. 417 WIDENING - CURRY FORD ROAD TO LAKE UNDERHILL ROAD

ITEM NO.	QUANTITY	UNIT	DESCRIPTION
415-1-5	15,541.2	LBS	REINFORCING STEEL- SUBSTRUCTURE
415-1-9	18,590.5	LBS	REINFORCING STEEL- APPROACH SLABS
425-1-501	6	EA	INLETS (DITCH BOTTOM) (TYPE A)(< 10')
425-1-505	7	EA	INLETS (DITCH BOTTOM) (TYPE A)(PARTIAL)
425-1-541	8	EA	INLETS (DITCH BOTTOM) (TYPE D)(< 10')
425-1-543	6	EA	INLETS (DITCH BOTTOM) (TYPE D)(J-BOT)(< 10')
425-1-549	4	EA	INLETS (DITCH BOTTOM) (TYPE D)(MODIFY)(< 10')
425-1-559	1	EA	INLETS (DITCH BOTTOM) (TYPE E)(MODIFY)(<10')
425-1-701	2	EA	INLETS GUTTER (TYPE S) (<10')
425-1-705	6	EA	INLETS GUTTER (TYPE S) (PARTIAL)
425-2-61	17	EA	MANHOLE P-8 (<10')
425-2-63	4	EA	MANHOLE P-8 (PARTIAL)
430-172-224	60	LF	PIPE CULVERT(RCP)(OTHER SHAPE ELIP/ARCH)(24") (STORM & CROSS DRAIN)
430-175-115	8	LF	PIPE CULVERT(RCP)(ROUND)(15") (STORM & CROSS DRAIN)
430-175-118	2,246	LF	PIPE CULVERT(RCP)(ROUND)(18") (STORM & CROSS DRAIN)
430-175-124	701	LF	PIPE CULVERT(RCP)(ROUND)(24") (STORM & CROSS DRAIN)
430-175-130	288	LF	PIPE CULVERT(RCP)(ROUND)(30") (STORM & CROSS DRAIN)
430-175-136	542	LF	PIPE CULVERT(RCP)(ROUND)(36") (STORM & CROSS DRAIN)
430-175-142	1,367	LF	PIPE CULVERT(RCP)(ROUND)(42") (STORM & CROSS DRAIN)
430-175-148	76	LF	PIPE CULVERT(RCP)(ROUND)(48") (STORM & CROSS DRAIN)
430-982-125	8	EA	MITERED END SECTION, CD (RCP ROUND) (18")
430-982-129	2	EA	MITERED END SECTION, CD (RCP ROUND) (24")
430-982-133	2	EA	MITERED END SECTION, CD (RCP ROUND) (30")
430-982-141	1	EA	MITERED END SECTION, CD (RCP ROUND) (48")
430-999	7,565	LF	VIDEO TAPING OF EXISTING DRAINAGE SYSTEMS
450-1-2	283	LF	PRESTRESSED BEAMS, TYPE III
450-1-4	474	LF	PRESTRESSED BEAMS, TYPE V
458-1-11	116.9	LF	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I
520-6	2,121	LF	SHOULDER GUTTER CONCRETE
521-5-1	547	LF	CONCRETE TRAFFIC RAILING, BRIDGE 32" F - SHAPE
521-8-1	36	LF	CONCRETE TRAFFIC RAILING BARRIER
524-1-1	3,415	SY	CONCRETE DITCH PAVEMENT (NON REINFORCED), 3"
524-2-2	106.4	SY	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"
536-1-1	17,675	LF	GUARDRAIL - ROADWAY
536-1-3	542.1	LF	GUARDRAIL - ROADWAY, DOUBLE FACE
536-73	3,570	LF	GUARDRAIL REMOVAL
536-8	12	EA	GUARDRAIL- BRIDGE ANCHORAGE ASSEMBLY, F&I
536-85-22	2	EA	GUARDRAIL - END ANCHORAGE ASSEMBLY, FLARED
536-85-24	3	EA	GUARDRAIL - END ANCHORAGE ASSEMBLY, PARALLEL
536-85-25	4	EA	GUARDRAIL - END ANCHORAGE ASSEMBLY, TYPE II
546-72-51	5.8	PM	RUMBLE STRIPS, GROUND-IN, 16" MIN. WIDTH

*** ORIGINAL QUANTITIES ***

OOCEA PROJECT NO. 417-110; CONTRACT NO. 000987

S.R. 417 WIDENING - CURRY FORD ROAD TO LAKE UNDERHILL ROAD

ITEM NO.	QUANTITY	UNIT	DESCRIPTION
548-12	337.9	SF	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER
550-10-220	768	LF	FENCING, TYPE B, 5.1-6.0', STANDARD
560-3	4	EA	EXISTING OVERHEAD SIGN STRUCTURE UPRIGHT PAINTING
563-4	24,842.1	SF	ANTI GRAFFITI COATING, NON SACRIFICIAL
570-1-2	224,645	SY	PERFORMANCE TURF, SOD
603A-100	1	LS	CONTINUOUS OPERATION OF EXISTING ITS DEVICES
612-100	1	LS	GEOLOCATION OF ITS EQUIPMENT
630-2-11	18,428	LF	CONDUIT (F&I) (OPEN TRENCH)
630-2-12	165	LF	CONDUIT (F&I) (DIRECTIONAL BORE)
630-2-15	1,136	LF	CONDUIT (F&I) (BRIDGE MOUNT)
632-7-1	1	PI	CABLE (SIGNAL)
635-1-11	1	EA	PULL BOX (F&I)
635-1-16	4	EA	LARGE FIBER OPTIC PULL BOX
635-2-11	98	EA	PULL & SPLICE BOX (F&I) (13" X 24')
635-3-12	10	EA	JUNCTION BOX (F&I) (MOUNTED)
638-002-111	7,134	LF	FOC (1-2") HDPE/SDR 11 (TRENCH)
638-002-113	442	LF	FOC (1-2") HDPE/SDR 11 (DIRECTIONAL BORE)
638-142-111	153	LF	FOC 4"BSP OUTER DUCT W/1-2" HDPE/SDR 11 (TRENCH)
638-260-011	50	LF	SPLIT BSP (6") (TRENCH)
660-4-11	3	EA	VEHICLE DETECTION- VIDEO (CABINET EQUIPMENT)
660-4-12	3	EA	VEHICLE DETECTION- VIDEO (ABOVE GROUND EQUIPMENT)
663-74-144	1	EA	DCS FIELD EQUIPMENT (4 LANES)
663-74-600	1	EA	DCS FIELD EQUIPMENT (REMOVE)
664-1-140B	4	EA	TMS POLE MOUNTED (ADJUST)
670-5-400	1	AS	TRAFFIC CONTROLLER ASSEMBLY (F&I, NEMA, ONE PREEMPTION PLAN)
690-90	1	PI	REMOVE CONDUIT & CABLING
690-100	1	EA	SIGNAL EQUIPMENT MISC. REMOVE
700-20-11	8	AS	SINGLE POST SIGN (F&I) (LESS THAN 12 SF)
700-20-12	8	AS	SINGLE POST SIGN (F&I) (12 - 20 SF)
700-20-14	9	AS	SINGLE POST SIGN (F&I) (21 - 30 S.F.)
700-20-19	2	AS	SINGLE POST SIGN (F&I) (SPECIAL DESIGN) (FLIP-UP)
700-20-60	19	AS	SINGLE POST SIGN (REMOVE)
700-21-11	2	AS	MULTI-POST SIGN (F&I) (50 S.F. OR LESS)
700-21-60	2	AS	MULTI-POST SIGN (REMOVE)
700-23-123	1	AS	OVERHEAD TRUSS CANTILEVER SIGN (F&I) (31-40) (201-300 SF) OC-1
700-23-600	2	AS	OVERHEAD TRUSS CANTILEVER SIGN (REMOVE)
700-48-39	4	EA	SIGN PANEL (OVERLAY) (16 - 100 SF)
700-48-53	2	EA	SIGN PANEL (REPLACE) (201 - 300 SF)
700-48-58	5	EA	SIGN PANEL (REPLACE) (15 OR LESS)
705-11-1	37	EA	DELINEATOR (FLEXIBLE TUBULAR)
705-11-1A	12	EA	DELINEATOR (FLEXIBLE HIGH VISIBILITY MEDIAN)

*** ORIGINAL QUANTITIES ***

OOCEA PROJECT NO. 417-110; CONTRACT NO. 000987

S.R. 417 WIDENING - CURRY FORD ROAD TO LAKE UNDERHILL ROAD

ITEM NO.	QUANTITY	UNIT	DESCRIPTION
706-3	1,446	EA	RETRO-REFLECTIVE PAVEMENT MARKERS
711-11-122	1,760	LF	THERMOPLASTIC (STANDARD) (WHITE) (SOLID) (8")
711-11-123	160	LF	THERMOPLASTIC (STANDARD) (WHITE) (SOLID) (12")
711-11-124	249	LF	THERMOPLASTIC (STANDARD) (WHITE) (SOLID) (18")
711-11-125	415	LF	THERMOPLASTIC (STANDARD) (WHITE) (SOLID) (24")
711-11-160	23	EA	THERMOPLASTIC (STANDARD) (WHITE) (MESSAGE)
711-11-170	26	EA	THERMOPLASTIC (STANDARD) (WHITE) (ARROWS)
711-11-222	1,223	LF	THERMOPLASTIC (STANDARD) (YELLOW) (SOLID) (8")
711-11-224	781	LF	THERMOPLASTIC (STANDARD) (YELLOW) (SOLID) (18")
711-15-111	0.078	NM	THERMOPLASTIC (STANDARD-OPEN GRADED ASPHALT SURFACES) (WHITE) (SOLID) (6")
711-15-211	0.18	NM	THERMOPLASTIC (STANDARD-OPEN GRADED ASPHALT SURFACES) (YELLOW) (SOLID) (6")
713-101-160	8	EA	PREFORMED TAPE (STANDARD) (WHITE) (MESSAGE)
713-102-122	3,380	LF	PREFORMED TAPE (HIGH PERFORMANCE) (WHITE) (SOLID) (8")
713-102-124	104	LF	PREFORMED TAPE (HIGH PERFORMANCE) (WHITE) (SOLID) (12")
713-102-125	499	LF	PREFORMED TAPE (HIGH PERFORMANCE) (WHITE) (SOLID) (18")
713-102-134	0.456	GM	PREFORMED TAPE (HIGH PERFORMANCE) (WHITE) (SKIP) (12")
713-102-211	3.534	NM	PREFORMED TAPE (HIGH PERFORMANCE) (YELLOW) (SOLID) (6")
713-102-222	1,223	LF	PREFORMED TAPE (HIGH PERFORMANCE) (YELLOW) (SOLID) (8")
713-102-225	781	LF	PREFORMED TAPE (HIGH PERFORMANCE) (YELLOW) (SOLID) (18")
713-102-513	3.466	NM	PREFORMED TAPE (HIGH PERFORMANCE) (WHITE/BLACK CONTRAST) (SOLID) (9")
713-102-533	6.63	GM	PREFORMED TAPE (HIGH PERFORMANCE) (WHITE/BLACK CONTRAST) (SKIP) (9")
715-1-12	58,991	LF	LIGHTING CONDUCTORS (NO. 8 TO NO. 6)
715-1-13	610	LF	LIGHTING CONDUCTORS (NO. 4 TO NO. 2)
715-2-115	72	LF	CONDUIT (F&I) (UNDERGROUND) (2" HDPE)
715-2-334	120	LF	CONDUIT (F&I - SURFACE MOUNT) (RGS) (1")
715-4-122	85	EA	LIGHT POLE COMPLETE, F&I, WIND SPEED 130, POLE - 45'
715-4-600	35	EA	LIGHT POLE COMPLETE, REMOVE
715-7-11	1	EA	LOAD CENTER (SECONDARY VOLTAGE)
715-11-126	14	EA	LUMINAIRE, F&I, UNDER DECK, PENDANT HUNG
715-11-137	11	EA	LUMINAIRE, F&I, SIGN, SIGN MOUNT
715-11-500	16	EA	LUMINAIRE, REMOVE
715-500-1	85	EA	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL

This information is being provided strictly for the convenience of potential bidders, suppliers and other interested parties and is not to be used for bidding purposes. The item numbers, quantities and descriptions provided herein have been taken from the original bidding documents, will not be updated and do not reflect any changes that may have been made